

CLAIM SET AS AMENDED

Claim 1 (Currently Amended) A wireless terminal communication method in a network, the network comprising: a plurality of wireless terminals; and a terminal location database for controlling the position information of the wireless terminals; and the wireless terminal communication method comprises the steps of:

inquiring to the terminal location database by a wireless terminal for a position information of a destination wireless terminal of the wireless terminal; and

communicating with the destination wireless terminal to share data between the wireless terminal and the destination wireless terminal when the wireless terminal has received the position information of the destination wireless terminal from the terminal location database.

Claim 2 (Original) The wireless terminal communication method as defined in claim 1, further comprising:

broadcasting periodically a position and address of the terminal location database by the terminal location database; and

wherein the wireless terminal makes an inquiry to the terminal location database based on the broadcast position and address.

Claim 3 (Currently Amended) A wireless terminal communication method in a network, the network comprising: a plurality of wireless terminals; and a terminal location database for controlling the position information of the wireless terminals; and the wireless communication method comprises the steps

SUB
31
of:

AI broadcasting periodically a position and address of the terminal location database by the terminal location database; and

communicating ~~with the~~ from a wireless terminal to a destination wireless terminal to share data between the wireless terminal and the destination wireless terminal based on the broadcast position and address.

Claim 4 (Original) The wireless terminal communication method as defined in claim 1, wherein the terminal location database replies pending to the inquiring step to the terminal location database by the wireless terminal unless the destination wireless terminal is registered; and

wherein the terminal location database replies to the inquire after the destination wireless terminal enters and registers the desired position.

Claim 5 (Original) The wireless terminal communication method as defined in claim 1, wherein the wireless terminal determines a priority order of the inquiries, and sends the inquiring step according to the priority order.

SGB
BL

Claim 6 (Currently Amended) A The wireless terminal communication method ~~as defined in claim 1~~, in a network, the network comprising, a plurality of wireless terminals, and a terminal location database for controlling the position information of the wireless terminals, the wireless terminal communication method comprises the steps of:

inquiring to the terminal location database by a wireless terminal for a position information of a destination wireless terminal of the wireless terminal;

A 1 and

communicating with the destination wireless terminal when the wireless terminal has received the position information of the destination wireless terminal from the terminal location database,

wherein the terminal location database searches for an intermediate terminal to the inquiring step unless the direct communication between the wireless terminal and the destination wireless terminal is possible, and replies to the inquiring step to the terminal location database including the name of the searched intermediate terminals to the wireless terminal.

Claim 7 (Original) The wireless terminal communication method as defined in claim 6, wherein the terminal location database sets up a route information; and further comprising;

sending the route information to the intermediate terminals.

Claim 8 (Original) The wireless terminal communication method as defined in claim 1, further comprising:

exchanging periodically the position information of the wireless terminals by the terminal location database.

SCS
B1
A1
Claim 9 (Original) The wireless terminal communication method as defined in claim 1, wherein the terminal location database has an address and an ad hoc wireless network interface, and connects to the ad hoc wireless network.

Claim 10 (Currently Amended) The wireless terminal communication method as defined in claim 8, further comprising:

notifying to ~~the~~ an other terminal location database who can respond to the inquiry after the terminal location database receives an inquiry regarding a relevant information from the wireless terminal; and

wherein the wireless terminal makes an inquiry to the other terminal location database based on this notification of the position of the other terminal location database.

Claim 11 (Original) The wireless terminal communication method as defined in claim 1, wherein the terminal location database refers and replies to the inquiring step the position information of the wireless terminals controlled by the cellular phone network.

Claim 12 (New) A wireless communication system using a network of a plurality of wireless terminals, comprising:

SGB 131
A
a terminal location database to control position information of the plurality of wireless terminals;

publish
A
a wireless terminal to inquire the terminal location database for the position information of a destination wireless terminal; and

A
a communication control mechanism on the wireless terminal to control direct communication between the wireless terminal and the destination wireless terminal.

Claim 13 (New) The wireless communication system of claim 12, wherein the terminal location database periodically broadcasts a position and address of the terminal location database.

Claim 14 (New) The wireless communication system of claim 12, further comprising an intermediate terminal to facilitate communication between the wireless terminal and the destination wireless terminal.